

CONTENTS

PART 1.

CYTOTAXONOMY OF THE FAMILY APOCYNACEAE

	<u>PAGE</u>
1.1. INTRODUCTION ...	1
1.2. REVIEW OF LITERATURE ...	3
1.3. MATERIALS AND METHODS ...	15
1.4. OBSERVATIONS	
Subfamily I. Plumierioideae	
Tribe (i) Arduineae	
(a) Melodininae ...	20
(b) Landolphiinae ...	23
Tribe (iii) Plumiereae	
(a) Alstoniinae ...	27
(b) Tabernaemontaninae ...	37
(c) Rauwolfiinae ...	42
(d) Cerberinae ...	45
Subfamily II. Echitoideae	
Tribe (iv) Schitideae ...	49
Tribe (v) Parsonsieae ...	61
1.5. DISCUSSION ...	72
1.6. SUMMARY ...	94
1.7. LITERATURE CITED ...	97

PART 2.INDUCED TETRAPLOIDS OF THE FAMILY APOCYNACEAE

2.1.	INTRODUCTION	...	102
2.2.	REVIEW OF LITERATURE	...	105
2.3.	MATERIALS AND METHODS	...	110
2.4.	OBSERVATIONS	...	
	(i) <i>Ervatamia divaricata</i>	...	115
	(ii) <i>Thevetia neriiifolia</i>	...	124
	(iii) <i>Nerium odorum</i>	...	132
	(iv) <i>Rauvolfia serpentina</i>	...	139
	(v) Cytologically unconfirmed suspected polyploid plants	...	145
2.5.	DISCUSSION	...	148
2.6.	SUMMARY	...	160
2.7.	LITERATURE CITED	...	164

ILLUSTRATIONS