CONTENTS

| Title Page | | | i | |
|----------------------------------|------------------|--|-------|--|
| Certificate of Approval | | | ii | |
| Declaration | | | | |
| Certificate by t | 5 | iv | | |
| Acknowledgem | | v | | |
| List of Symbols | | | | |
| Abbreviations | | | xvii | |
| List of Figures | | | xviii | |
| List of Tables | | | xxiii | |
| Abstract | | | xxiv | |
| Contents | | | xxv | |
| | | | | |
| Chapter 1 | Introduction | | 1 | |
| | | | | |
| | 1.1 Backgroun | d and Motivation | 1 | |
| | | | | |
| | 1.2 Literature S | Survey | 2 | |
| | | | | |
| | 1.2.1 | Modelling of Internal Material Damping within the | | |
| | | Rotor-Shaft | 2 | |
| | 1.2.2 | Finite Element Modelling of the Rotor-Shaft- | | |
| | | Bearing System | 4 | |
| | 1.2.3 | Passive Control of Rotor Vibration | 5 | |
| | 1.2.4 | Active Vibration Control of Rotor-Shaft-Bearing Syster | n 6 | |
| | 1.2.5 | Dynamics of Rotor-Bearing System on Moving Base | 11 | |
| | 1.2.6 | Nonlinear and Coupled Vibration of a Torsionally as | | |
| | | well as Flexural-Torsional Flexurally Complaint | | |
| | | Rotor-Shaft System | 13 | |
| | 1.2.7 | Model Reduction for a Rotor-Shaft-Bearing System | 15 | |
| | | | | |
| | 1.3 Objective a | and Scope of Work | 17 | |
| | | | | |
| 1.4 Contributions of the Scholar | | | | |
| | | | | |
| | 1.5 Organizatio | on of the Thesis | 19 | |

| Chapter 2 | Mathematical Model of the Electromagnetic Actuator and Its Implementation in Actively Controlling Flexible Rotor Vibration | | |
|-----------|---|----|--|
| | | | |
| | due to Mass-Unbalance | 21 | |
| | 2.1 Introduction | 21 | |
| | 2.2 Mathematical Modelling of the Electromagnetic Actuator | 23 | |
| | 2.2.1 The Electromagnetic Force | 24 | |
| | 2.2.2 Linearization of the Electromagnetic Force about the | | |
| | Operating Point | 28 | |
| | 2.2.3 The Proportional-Plus-Derivative Control Strategy | 30 | |
| | 2.3 Finite Element Modelling of the Rotor-Shaft-Bearing System | | |
| | Including Viscous Form of Internal Damping | 31 | |
| | 2.3.1 Equations of Motion for a Rotor-Disc | 31 | |
| | 2.3.2 Equations of Motion for a Shaft Finite Element | 32 | |
| | 2.3.3 Effect of Mass-Unbalance | 34 | |
| | 2.3.4 Model for Bearings | 35 | |
| | 2.3.5 Assembly of the Element Equations of Motion for | | |
| | Uncontrolled System | 37 | |
| | 2.3.6 Effect of Control Action of Electromagnetic Actuator | 39 | |
| | 2.3.7 Condition of Stability | 40 | |
| | | | |
| | 2.4 Numerical Example, Results and Discussions | 40 | |
| | | | |
| | 2.4.1 System Details | 40 | |
| | 2.4.2 Comparison between Controlled and Uncontrolled | | |
| | Responses | 41 | |
| | 2.4.3 Influence of Actuator-Parameters on the Response and | | |
| | Control Current | 46 | |
| | 2.4.4 Influence of Location of the Actuator on the Response, | | |
| | Stability and Maximum Control Current | 50 | |
| | 2.4.5 Influence of the Control Action on the Force Exerted | | |
| | on the Bearing Supports | 53 | |
| | 2.4.6 A Note on the Choice of the Actuator Location | 54 | |

| Chapter 3 | Active Vibration Control of the Flexible Rotor-Shaft Subject to Inertia Force and Parametric Excitation due to Base Motion | | |
|-----------|---|-----|--|
| | | | |
| | Using the Electromagnetic Actuator | 56 | |
| | 3.1 Introduction | 56 | |
| | 3.2 Equations of Motion | 58 | |
| | 3.2.1 Reference Frames and Kinematics | 58 | |
| | 3.2.2 Equations of Motion for a Rotor-Disc | 63 | |
| | 3.2.3 Equation of Motion for a Shaft Finite Element | 66 | |
| | 3.2.4 Equations of Motion for Concentrated Mass-Unbalance | | |
| | Associated with a Disc | 68 | |
| | 3.2.5 Contribution of the Bearings | 70 | |
| | 3.2.6 Assembled Equation of Motion for the Uncontrolled | | |
| | Rotor-Shaft-Bearing System | 70 | |
| | 3.2.7 External Control Force from the Electromagnetic | | |
| | Actuator | 72 | |
| | 3.3 A Note on the Stability of the Vibration of the Rotor-Shaft | 73 | |
| | 3.4 Numerical Example, Results and Discussion | 75 | |
| | | | |
| | 3.5 Conclusions | 91 | |
| | | | |
| Chapter 4 | Active Control of Coupled Flexural-Torsional Vibration in a | | |
| | Flexible Rotor-Bearing System Using Electromagnetic Actuator | 92 | |
| | | | |
| | 4.1 Introduction | 92 | |
| | 4.2 Equations of Motion | 93 | |
| | 4.3 Prediction of Excitation Frequencies for a Simplified System | | |
| | using the MMS | 103 | |

55

| | 4.4 Control Strategy | 110 |
|------------|---|-----|
| | 4.5 Results and Discussion | 111 |
| | 4.6 Conclusions | 124 |
| Chapter 5 | Reduction of the Mathematical Model of a Rotor-Bearing System Using Modified System Equivalent Reduction Expansion Process | 126 |
| | 5.1 Introduction | 126 |
| | 5.2 Transformation Pair between the Original and Reduced System | 127 |
| | 5.3 Different Matrices of the System in the Reduced Form | 132 |
| | 5.4 Results and Discussions | 133 |
| | 5.5 Conclusions | 145 |
| Chapter 6 | Conclusions and Scope for Future Work | 146 |
| | 6.1 Conclusions Drawn from the Thesis | 146 |
| | 6.2 Scope for Future Work | 147 |
| References | | 149 |
| Appendix A | Expressions for Kinetic Energy, Strain Energy and | |
| | Dissipation Function | 157 |
| | A.1 Expression for Kinetic Energy of a Disc | 157 |
| | A.2 Expression for Strain Energy due to Bending and Dissipation | |
| | Function due to Internal Material Damping of the Shaft | 159 |
| | A.3 Expression for Kinetic Energy of the Shaft | 164 |

C

| | A.4 Expression for Kinetic Energy of the Unbalance-Mass | |
|------------|--|-----|
| | Associated with the Disc | 165 |
| Appendix B | Finite Element Interpolation Functions, Different Vectors | |
| | and Matrices | 167 |
| Appendix C | Determination of the Regions of Parametric Instability of | |
| | a Simplified Rotor-Shaft System Subject to a Harmonic Pitching | |
| | Motion of the Base Using the Method of Multiple Scales | 172 |
| Curriculum | Vitae | 185 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | ▼ | |
| | | |
| | | |