

Contents

	Page No.
<i>Title Page</i>	<i>i</i>
<i>Dedication</i>	<i>ii</i>
<i>Declaration</i>	<i>iii</i>
<i>Approval of the Viva</i>	<i>iv</i>
<i>Certificate by the Supervisor</i>	<i>v</i>
<i>Acknowledgement</i>	<i>vi</i>
<i>List of Symbols</i>	<i>vii</i>
<i>List of Abbreviations</i>	<i>viii</i>
<i>Abstract</i>	<i>x</i>
<i>Contents</i>	<i>xi</i>
Chapter 1: Introduction	1–29
1.1 Different types of polymerization	2
1.1.1 Ionic Polymerization	2
1.1.2 Coordination Polymerization	3
1.1.3 Free radical polymerization	3
1.1.4 Application and Advantages of Free radical chain Polymerization	5
1.1.5 Controlled Radical Polymerization	6
1.1.6 Different types of Controlled Radical Polymerization	8
1.1.6.1 Nitroxide Mediated Stable Free Radical Polymerization	9
1.1.6.2 Reversible Addition Fragmentation transfer	10
1.1.6.3 Atom Transfer Radical Polymerization	11
1.1.7 Kinetics of ATRP	13
1.2 Literature Review	15
1.2.1 Specialty Monomers	15
1.2.2 Furfuryl Methacrylate	17
1.2.3 Acrylate bearing adamantyl group	18
1.2.4 Applications of these tailor-made specialty polymers prepared by ATRP	20
1.2.4.1 Polymers with controlled end-functionality	20
1.2.4.2 Polymers with well-defined architecture	21
1.2.4.3 Post-polymerization modification of the functional group in the tailor-made polymers	24
1.3 Scope and Objectives	26
Chapter 2: Experimental Section	31–38
2.1 Introduction	31
2.2 Materials	31
2.2.1 Monomers	31
2.2.2 Initiators	31
2.2.3 Catalysts	31
2.2.4 Ligands	31
2.2.5 Solvents	32
2.2.6 Other Chemicals	32

2.3 Characterization	32
2.3.1 Gel Permeation Chromatography	33
2.3.2 Nuclear Magnetic Resonance Spectrometry	33
2.3.3 Fourier Transform Infrared Spectroscopy	33
2.3.4 Matrix-Assisted Laser Desorption Ionization Mass Spectrometry	34
2.3.5 UV-vis Spectroscopy	34
2.3.6 Scanning Electron microscopy	34
2.3.7 Tensile Properties	35
2.3.8 Mechanical Properties	35
2.3.9 Differential Scanning Calorimetry	36
2.3.10 Thermogravimetric analysis	36
2.3.11 Dynamic Mechanical Analysis	36
2.3.12 Measurement of swelling ratio of cross-linked polymers	37
2.3.13 Chemical crosslink density	37
2.3.14 Hydrogen Bonded 3-D structure	38
2.3.15 Reactivity Ratios and Statistical Methods	38
Chapter 3: Atom Transfer Radical Polymerization of Furfuryl Methacrylate (FMA): A Thermally Amendable Polymer	39–51
3.1 Introduction	39
3.2 Synthesis	40
3.2.1. Synthesis of Poly (furfuryl methacrylate) (PFMA) by ATRP process	40
3.2.2. Free Radical Polymerization (FRP) of FMA	41
3.2.3. Synthesis of diblock copolymer (PFMA- <i>b</i> -PFMA)	41
3.3 Results and discussion	42
3.3.1 Kinetics of polymerization	42
3.3.2 Characterization of the Polymers	44
3.3.3. Diels Alder reaction	48
3.4. Conclusions	51
Chapter 4: Atom Transfer Radical Copolymerization of Furfuryl Methacrylate (FMA) and Methyl Methacrylate (MMA): A Thermally-Amendable Copolymer	53–68
4.1 Introduction	53
4.2 Synthesis	54
4.2.1. Copolymerization of FMA and MMA by ATRP	54
4.2.2. Free Radical Copolymerization of FMA and MMA	55
4.2.3. Preparation of Crosslinked Polymer via DA Reaction of PFMA- <i>co</i> -PMMA with Bismaleimide (BM)	55
4.3 Results and discussion	55
4.3.1 Kinetics of polymerization	55
4.3.2 Structural Characterization and Copolymer Composition	57
4.3.3. Determination of reactivity ratios of FMA and MMA in ATRcP	60
4.3.4 Diels Alder Reaction between Furfuryl Group of the Copolymer and a Bismaleimide	64
4.4. Conclusions	67

Chapter 5: Use of ‘Click Chemistry’ in the Properties of Polymers Bearing Reactive Furfuryl Functionality	69–86
5.1 Introduction	69
5.2 Synthesis	71
5.2.1 Synthesis of Poly (furfuryl methacrylate) (PFMA) by ATRP	71
5.2.3 Synthesis of Poly (furfuryl methacrylate)- <i>co</i> -Poly (methyl methacrylate) (PFMA- <i>co</i> -PMMA) by ATRP	71
5.2.4 Preparation of thermally-reversible cross-linked polymers (DA reaction)	72
5.2.5 Retro Diels-Alder Reaction (rDA)	72
5.3 Results and Discussions	72
5.3.1 Kinetic study of DA and rDA reaction	72
5.3.2 Solution property of the crosslinked polymers	77
5.3.4 Mechanical properties of the thermoreversible crosslinked polymer at high as well as at low temperature	79
5.3.5 Self-healing Characteristics of Cross-Linked Polymer	81
5.3.6 Dynamic Mechanical Analysis	82
5.3.7 Thermal properties of the cross linked polymer	84
5.4 Conclusions	85
Chapter 6: Thermoreversible Self-Healing Triblock Copolymer via Atom Transfer Radical Polymerization (ATRP): as a Smart Polymer	87–110
6.1 Introduction	87
6.2 Synthesis	90
6.2.1 Synthesis of Difunctional Initiator 1,2-Bis(bromoisobutyryloxy)ethane (BBiBE)	90
6.2.2 Synthesis of α , ω - dibromo Poly (ethyl hexyl acrylate) Macroinitiator by ATRP (Br-PEHA-Br)	90
6.2.3 Synthesis of PFMA- <i>b</i> -PEHA- <i>b</i> -PFMA (FEF) Triblock Copolymer by ATRP	91
6.2.4 Synthesis of Thermoreversible Diels Alder (DA) Crosslinked Polymer	91
6.3 Results and Discussion	92
6.3.1 Synthesis and Characterization of ABA Triblock Copolymer	92
6.3.2 Thermal and Mechanical Studies of ABA Triblock Copolymer	96
6.3.2.1 Differential Scanning Calorimetry (DSC)	96
6.3.2.2 Tensile Properties	97
6.3.2.3 Dynamic Mechanical Properties: Effect of Temperature	99
6.3.3 Thermoreversible ABA Triblock Polymer for Self-Healing Application via Diels Alder Reaction	100
6.3.4 Thermoreversible Studies of the Self-Healing Triblock Copolymer	102
6.3.4.1 DSC studies	102
6.3.4.2 SEM Studies of the Self-Healing Cross-linked Smart Polymer	103

6.3.4.3	Solution Properties of the Cross-linked Smart Polymer	105
6.3.4.4	Dynamic Mechanical Studies of Thermoreversible Self-Healing Triblock Copolymer: Effect of Frequency	107
6.4.	Conclusions	109
Chapter 7: Highly Thermally Stable Tailor-made Poly (meth)acrylates Bearing Adamantyl Group via Atom Transfer Radical Polymerization		111–130
7.1	Introduction	111
7.2	Synthesis	112
7.2.1	Synthesis of Initiators and Monomers	112
7.2.2	Synthesis of 1-Adamantane Methyl-2-bromo isobutyrate (AdMBr) (I) (Initiator)	113
7.2.3	Synthesis of 1-Adamantyl-2-bromo isobutyrate (AdBr) (II) (Initiator)	114
7.2.4	Synthesis of 1-Adamantyl Methyl Acrylate (AdMA) (III) (Monomer)	114
7.2.5	Atom Transfer Radical Polymerizations	115
7.2.5.1	Polymerization of Methyl Methacrylate using AdMBr (I) as Initiator	115
7.2.5.2	Homopolymerization of 1-Adamantyl Methyl Acrylate (AdMA) (III)	116
7.2.5.3	Copolymerization of AdMA and MA	116
7.3	Results and Discussions	117
7.3.1	Atom Transfer Radical Polymerization of MMA Initiated with AdMBr (I) or AdBr (II)	117
7.3.1.1	Kinetic Study of the Polymerization	118
7.3.1.2	Characterization of the Polymers	120
7.3.1.3	End group analysis	121
7.3.2	Atom Transfer Radical Polymerization of 1-Adamantane Methyl Acrylate (AdMA) (III)	123
7.3.2.1	Kinetic Study of the Polymerization	123
7.3.2.2	Structural Characterization and Copolymer Composition by NMR	125
7.3.3	Thermal Properties of Polymers	126
7.3.3.1	Thermogravimetric Analysis (TGA)	126
7.3.3.2	Glass Transition Temperature (Tg)	130
7.4	Conclusions	130
Chapter 8a: Tailor-made Poly(methyl Acrylate) Bearing Amantadine Functionality (Amino Adamantyl) via Atom Transfer Radical Polymerization (ATRP): A Precursor of Supramolecular Crosslinked Polymer		131–151
8a.1	Introduction	131
8a.2	Synthesis	132
8a.2.1	Synthesis of Monomer, 3-Amino Adamantyl Acrylate (Am-Ada) (III)	133
8a.2.2	Atom Transfer Radical Polymerization (ATRP)	135

8a.2.2.1	Homopolymerization of 3-Amino Adamantyl Acrylate (Am-AdA) (III)	135
8a.2.2.2	Copolymerization of Am-AdA (III) and Methyl Acrylate (MA)	135
8a.2.2.3	Synthesis of the Diblock Copolymer (PAm-AdA- <i>b</i> -PMMA)	136
8a.2.2.4	Preparation of Polyglycidyl Methacrylate (PGMA)	136
8a.2.3	One-pot Synthesis of Hydrogen Bonded Polymer (VI)	137
8a.3	Results and Discussion	137
8a.3.1	Kinetic Study	138
8a.3.2	Characterization of the Polymers by NMR	141
8a.3.3	End Group Analysis	143
8a.3.4	Reaction Between Poly(Amino-Adamantyl Acrylate) (PAm-AdA) and Polyglycidyl Methacrylate (PGMA): A Supramolecular Polymer	145
8a.3.5	DSC Analysis	150
8a.4	Conclusions	151
Chapter 8b: Atom Transfer Radical Polymerization (ATRP) of Methyl Methacrylate using a Functional Initiator Bearing an Amino-Adamantane		153–166
8b.1	Introduction	153
8b.2	Synthesis	154
8b.2.1	Synthesis of Initiator, 3-Amino-Adamantyl Isobutyryl Bromide (Am-AdiBr) (C)	154
8b.2.2	Atom Transfer Radical Polymerization (ATRP)	156
8b.2.2.1	Polymerization of MMA Using Am-AdiBr (c) as Initiator (Am-Ad-PMMA-Br)	156
8b.2.2.2	Synthesis of Diblock Copolymer (PMMA- <i>b</i> -PMMA)	156
8b.3	Results and Discussion	157
8b.3.1	Kinetic Study	157
8b.3.2	Characterization of the Polymers	160
8b.3.3	End Group Analysis	161
8b.3.4	Thermal Analysis	163
8b.3.4.1	Thermogravimetric Analysis (TGA)	163
8b.3.4.2	Glass Transition Temperature (Tg)	164
8b.4	Conclusions	166
Chapter 9: Summary and Conclusions		167–169
9.1	Summary and conclusions	167
9.2	Future scope of the study	168
References		171–197
Appendices		I–V
Curriculum Vitae		VII

