

CONTENTS

Title Page	i
Certificate of Approval	iii
Certificate	v
Acknowledgements	vii
Declaration	ix
List of Symbols and Abbreviations	xi
Abstract	xv
Contents	xvii
Chapter 1 Introduction	1
1.1. Background	1
1.2. Current Problems	2
1.3. The Key Idea	2
Chapter 2 Literature Survey	5
2.1. Introduction	5
2.2. Spray Forming	6
2.3. Spray Coating	9
2.4. Need for Comprehensive Modeling of Impingement of Liquid Al-33wt%Cu Droplet on Substrate	10
2.5. Modeling of Droplet Solidification during the Flight	10
2.6. Experimental Works on Droplet Solidification during Flight	13
2.7. Droplet Impingement on Substrate	14
2.7.1 Experimental Studies	14
2.7.2. Analytical Models	18
2.7.3. Numerical Models	19
2.7.3.1. Impingement of Single Droplet	19
2.7.3.2. Sequential Impingement of Multiple Droplets	26

2.8. Gaps in the Comprehensive Modeling of Droplet Impingement on a Substrate	28
2.9. Aim and Objectives of Present Study	28
Chapter 3 Mathematical Modeling	31
3.1. Introduction	31
3.2. Mathematical Modeling of Droplet Impingement	32
3.2.1 Description of the droplet impingement and assumption in the model	32
3.2.2 Governing equations	34
3.2.2.1. Flow equations	34
3.2.2.2. Energy equation	37
3.2.2.3. The volume advection equation(Volume of Fluid or VOF approach)	39
3.2.2.4. Surface tension	42
3.2.2.5. Wall adhesion	45
3.3. Boundary and Initial Conditions	46
3.4. Discretization and Solution Method	49
3.5. Thermo – physical Properties	52
3.6. Determination of the Thermal Conductivity of the Solid Layer(Figure 3.1)	53
3.7. Sequential Impingement of Multiple Droplets	56
3.8. Simulation of Test Problems using FLUENT 6.3.16	57
3.8.1. Incompressible fluid flow through a pipe	58
3.8.2. Cooling of hot cylinder	60
3.8.3. Heat transfer and natural convection in a fluid	62
3.8.4. 2-Dimensional Solidification in a mold	68
3.8.5. Impingement of mercury droplet	73
3.8.6. Impingement of water droplet	87
3.8.7. Impingement of tin droplet and concurrent cooling and solidification	91
Chapter 4 Experimental Procedure	101
4.1. Introduction	101
4.2. Preparation of Al-33Cu Alloy	101

4.3. Determination of Thermal Contact Resistance	102
4.3.1. Rectangular channel	103
4.3.2. Cylindrical molds	104
4.4. Set up for Droplet Impingement	106
4.4.1. Procedure of droplet Impingement	108
4.5. Characterization of Droplets after Impingement	109
4.5.1. Optical and Scanning Electron Microscopy	109
4.5.2. X – ray diffraction	110
4.5.3. Study of droplet size	110
4.5.4. Shape of the deposited droplets	110
Chapter 5 Results and Discussion	111
5.1. Introduction	111
5.2 Determination of Conductivity of Interface Layer	112
5.2.1. Determination using rectangular channel	113
5.2.2. Determination using cylindrical mold	114
5.2.3. Solidification in a Channel	116
5.2.4. Solidification of Al-33Cu in a Cylindrical Mold	123
5.2.4.1. Solidification in 6mm diameter cylindrical mold	123
5.2.4.2. Solidification in 3mm diameter cylindrical mold	129
5.3. Deformation of Al-33Cu Droplet (Diameter = 6.2 mm)	134
5.4. Simulation of Droplet Impingement (8.18mm, Initial Temperature = 973K)	136
5.5. Estimation of Solidification Front Speed	142
5.6. Sensitivity of Front Speed to Variation in Contact Resistance and Natural Convection	145
5.7. Effect of Process Parameters	146
5.7.1. Effect of initial temperature	146
5.7.1.1 Impingement of 5.39 mm diameter droplet (Initial temperature = 973K)	148
5.7.1.2 Impingement of 5.39 mm droplet at initial temperature 875 K	151
5.7.2. Effect of the droplet diameter	155
5.7.3. Effect of velocity of impingement	157
5.8. Validation of the Model	161

5.9. Sequential Impingement of Two Droplets	167
Chapter 6 Conclusions and Future Scope of Study	171
6.1. Conclusions	171
6.2. Future Scope of Study	176
References	177
Curriculum Vitae	187