

Contents

Title Page	i
Certificate	v
Declaration	vii
Acknowledgements	ix
List of Symbols	xi
List of Abbreviations	xiii
List of Figures	xix
List of Tables	xxix
Abstract	xxxix
1 Introduction	1
1.1 Introduction	1
1.2 State-of-the-Art in Wireless Medium Access Control	3
1.2.1 The IEEE 802.11x WLAN	3
1.2.2 The IEEE 802.16x WMAN	5
1.3 Motivation for the Thesis Work	8

1.4	Objectives of the Thesis Work	10
1.5	Contributions Made in the Thesis	11
1.6	Outline of the Thesis	12
2	Background-The IEEE 802.11x and 802.16x Standards	17
2.1	Introduction	17
2.2	The IEEE 802.11x Standard	17
2.2.1	The IEEE 802.11x Distributed Coordination Function	18
2.2.2	The IEEE 802.11x Point Coordination Function	21
2.2.3	The IEEE 802.11e MAC Protocol	23
2.2.4	The IEEE 802.11e Enhanced Distributed Channel Access	23
2.2.5	The HCF Controlled Channel Access	24
2.3	The IEEE 802.16x Standard	26
2.3.1	The Architecture of IEEE 802.16 Standard	27
2.3.2	The IEEE 802.16 Physical Layer	29
2.3.3	The Downlink and Uplink Subframes	30
2.3.4	The 802.16 MAC Protocol	32
2.3.5	The MAC Protocol Data Unit	33
2.3.6	Network Entry Process	34
2.3.7	Service Classes in the IEEE 802.16 Network	36
2.3.8	The Bandwidth Request and Allocation	36
2.3.9	The Contention Resolution Algorithm	37
3	Performance Sensitivity of the IEEE 802.11b MAC Layer to the Protocol Parameters	39
3.1	Introduction	39
3.2	The System Model	41
3.3	Throughput Analysis	47
3.4	Delay Analysis	56
3.5	Simulation Studies	59

3.5.1	Throughput Performance	59
3.5.2	Delay Performance	63
3.6	Conclusions	67
4	A Modified Backoff Algorithm for the IEEE 802.11 DCF	69
4.1	Introduction	69
4.2	The Basic Access Mechanism of DCF with the Proposed Modified Backoff Algorithm	70
4.2.1	The Proposed Modification to Backoff Algorithm	72
4.3	Simulation Studies	73
4.4	Conclusions	78
5	Performance Analysis of the IEEE 802.16 Uplink for Best Effort Traffic	79
5.1	Introduction	79
5.2	System model and the contention resolution algorithm	82
5.2.1	System Model	82
5.2.2	The Contention Resolution Algorithm	83
5.3	An Analytical Model for Poisson Traffic	84
5.3.1	Markov Model for Backoff Procedure	86
5.3.2	Backoff Delay and Bandwidth Request by an SS	91
5.3.3	Aggregate Bandwidth at the BS	95
5.3.4	Bandwidth Grants and Utilization	96
5.3.5	Delay Performance	97
5.4	Effect of Channel Conditions on the Performance	98
5.5	Simulation Studies	99
5.5.1	A Packet-by-Packet Bandwidth Request Scheme	100
5.5.2	An aggregated Bandwidth Request Scheme	110
5.6	Conclusions	114

6	A Packet Scheduling Scheme and its Performance Study for IEEE 802.16x MAC Protocol for Composite Traffic	117
6.1	Introduction	117
6.2	The Proposed QoS Architecture of the IEEE 802.16x MAC Protocol . .	120
6.3	The Proposed Upstream Packet Scheduling Scheme	122
6.4	Simulation Studies	123
6.4.1	The Simulation Model and Assumptions	123
6.4.2	Study of Uplink Utilization	127
6.4.3	Study of Uplink Delay	128
6.5	Conclusions	132
7	The Performance of IEEE 802.16x and 802.11e Hybrid Access Network	135
7.1	Introduction	135
7.2	Integration of the IEEE 802.11x and 802.16x Networks	136
7.2.1	IP Layer	137
7.2.2	Interconnection through a MAC Bridge	137
7.2.3	Direct Interconnection of DLCs	138
7.3	Interaction of MAC Protocols of the IEEE 802.11x and 802.16x	139
7.4	Appropriate Traffic Model	140
7.5	Performance Studies with Self-Similar Traffic Models	145
7.5.1	Simulation model and assumptions	145
7.5.2	Study of uplink utilization	146
7.5.3	Study of Uplink Delay	148
7.6	Performance Comparison with Poisson Traffic	148
7.7	Performance Studies with Actual WLAN Traffic Models	152
7.7.1	Simulation Model and Assumptions	152
7.7.2	Uplink Utilization of IEEE 802.16x Network	153
7.7.3	End-to-End Delay Performance	154
7.7.4	The Probability of Request Collision	156

CONTENTS

7.8	Conclusions	157
8	Conclusions and Future Directions	159
8.1	Concluding Remarks	159
8.2	Scope for Future Work	165
	References	166
	Publications from the Thesis Work	175
	Curriculum Vitae	181