

## Contents

Title Page	i
Certificate of approval	ii
Certificate	iii
Declaration	iv
Acknowledgements	v-vi
Abstract	vii
List of symbols and abbreviations	viii
Contents	ix-xi
List of figure	xii-xiii
List of table	xiv
<b>Chapter 1: Introduction</b>	<b>1-12</b>
1.1 Introduction	1-9
1.2 Objectives	9-10
1.2.1 Reconstruction of Indian summer monsoonal rainfall	9
1.2.2 Reconstruction of paleovegetation	9
1.2.3 Assessment of preservation of carbon isotope ratio in SOM	10
1.2.4 Role of monsoon and atmospheric CO <sub>2</sub> on the relative abundance of C <sub>3</sub> and C <sub>4</sub> plants	10
1.2.5 Spatio-temporal changes in sedimentation over southern central Ganga	10
1.3 Structure of thesis	11
1.4 Contribution of the thesis	12
<b>Chapter 2: Geology, material and methods</b>	<b>13-32</b>
2.1 Introduction	13
2.2 Ganga plain	13-15
2.3 Sampling, sedimentology and age of strata	15-17
2.3.1 KP core	15
2.3.2 BP core	16
2.3.3 IITK core	17
2.3.4 FP core	17
2.4 Sample description	18
2.5 Materials and methods	18-31
2.5.1 Optical dating of KP core samples	18-23
2.5.2 Mass Spectrometric measurement of isotope ratio	23
2.5.3 Procedure of isotopic analysis in soil carbonates	23-26
2.5.4 Procedure of isotopic analysis in SOM, NOM and modern plants samples	26-28
2.5.5 Extraction, purification, quantification and carbon isotope measurements of fatty acids and n-alkanes	29
2.5.6 Grain size analysis	29-30
2.5.7 Procedure of Sr isotopic analysis in soil carbonate and Sr and Nd isotope ratio in silicate	30-31

<b>Chapter 3: Signature of monsoonal rainfall variation in the Ganga plain</b>	<b>33-48</b>
3.1 Introduction	33
3.2 Results	33-37
3.2.1 <sup>18</sup> O values in soil carbonate	33-36
3.2.1.1 Intra-profile variability	33-34
3.2.1.2 KP core	34-35
3.2.1.3 IITK core	35-36
3.2.1.4 FP core	36
3.2.2 <sup>18</sup> O values in ground water carbonate	37
3.3 Discussion	37-40
3.3.1 <sup>18</sup> O values in soil carbonate	37-40
3.4 Correlation with other monsoon proxies	40-47
3.4.1 Correlation of monsoon with MIS	40-41
3.4.2 Correlation of monsoon rainfall with terrestrial records	41-42
3.4.3 Correlation of monsoon rainfall with fluvial architecture of the Indian subcontinent	42-47
3.5 Conclusions	47
<b>Chapter 4: Paleovegetation reconstruction based on carbon isotope ratio of soil carbonate, SOM and NOM</b>	<b>49-58</b>
4.1 Introduction	49-50
4.2 Results	50-53
4.2.1 <sup>13</sup> C values of modern plants	50
4.2.2 <sup>13</sup> C values in soil carbonate, SOM and NOM	50-53
4.2.2.1 KP core	50-51
4.2.2.2 IITK core	51-52
4.2.2.3 FP core	53
4.3 Discussion	54-57
4.3.1 <sup>13</sup> C values in soil carbonate, SOM and NOM	54-57
4.4 Conclusions	57
<b>Chapter 5: Molecular and isotope records in organic matter of the Ganga plain paleosols</b>	<b>59-82</b>
5.1 Introduction	59-60
5.2 Results	60-67
5.2.1 Bulk organic carbon and average grain size	60-61
5.2.2 Abundance, distributions and <sup>13</sup> C value of fatty acid in SOM of FP and KP cores	61-64
5.2.3 Abundance, distributions and <sup>13</sup> C value of n-alkane in SOM of FP and KP cores	64-67
5.3 Discussion	67-75
5.3.1 Source of organic matter in paleosol of the Ganga plain	68-71
5.3.2 Evidence of C <sub>3</sub> -C <sub>4</sub> plants contributions	71-75
5.3.2.1 Isotopic evidences	71-74
5.3.2.2 Average chain length (ACL)	74-75

5.4 Comparison between $^{13}\text{C}$ values of fatty acid and n-alkanes with $^{13}\text{C}$ values of SOM	75-76
5.5 Relative abundance of $\text{C}_3$ - $\text{C}_4$ plants: role of monsoon and $\text{pCO}_2$	77-81
5.6 Conclusions	81
<b>Chapter 6: Spatio-temporal change in Ganga sedimentation: implication to climate and tectonics</b>	<b>83-102</b>
6.1 Introduction	83
6.2 Results	84-87
6.2.1 Sr isotope ratios ( $^{87}\text{Sr}/^{86}\text{Sr}$ ) and Sr concentration in soil carbonate, and $^{87}\text{Sr}/^{86}\text{Sr}$ ratios and Nd in silicate (FP and KP cores)	84-87
6.2.1.1 FP core	84-85
6.2.1.2 IITK core	85-86
6.2.1.3 KP core	86-87
6.2.1.4 BP core	87
6.3 Discussion	88-96
6.3.1 Review of $^{87}\text{Sr}/^{86}\text{Sr}$ ratio of Himalayan and peninsular Indian rocks, and $^{87}\text{Sr}/^{86}\text{Sr}$ ratio of modern Himalayan and peninsular Indian river water	88-90
6.3.2 $^{87}\text{Sr}/^{86}\text{Sr}$ ratios in soil carbonate, and $^{87}\text{Sr}/^{86}\text{Sr}$ ratios and Nd in silicate	90-96
6.4 Implications for sediment supply	96-100
6.5 Conclusions	100-101
<b>Chapter 7: Conclusions and future scope of study</b>	<b>103-106</b>
7.1 Conclusions	103-104
7.2 Future scope of study	104-106
<b>References</b>	<b>107-128</b>
Appendix A: Oxygen and carbon isotope ratios in soil carbonate and carbon isotope ratio and TOC in SOM and NOM from Kalpi (KP), IITK, Firozpur (FP) and Bhognipur (BP) cores.	129-132
Appendix B: Carbon isotope ratio of modern $\text{C}_3$ plants.	133-134
Appendix C: Carbon isotope ratio of modern $\text{C}_4$ plants.	135
Appendix D: Average grain size in paleosols of KP core.	136
Appendix E: Normalized abundance of n-alkanoic acids, Carbon Preference Index and Average Chain Length.	137-138
Appendix F: Stable carbon isotopic composition ( $^{13}\text{C}$ ) of fatty acid and n-alkanes extracted from paleosols of FP and KP cores.	139
Appendix G: Normalized abundance of n-alkanes, Carbon Preference Index and Average Chain Length.	140-141
Appendix H: Oxygen and Sr isotope and Sr concentration data of soil carbonate from Firozpur (FP), IITK, Kalpi (KP) and Bhognipur (BP) cores.	142-144
Appendix I: Sr and Nd isotope data of silicate from FP and KP cores.	145