

## Table of Contents

|   |    |
|---|----|
| CHAPTER 1: INTRODUCTION .....                                   | 1  |
| 1.1. Background .....   | 1  |
| 1.2. Deterioration.....   | 3  |
| 1.3. Maintainability and Maintenance .....                      | 5  |
| 1.4. Availability .....   | 7  |
| 1.4.1. Instantaneous Availability .....                         | 8  |
| 1.4.2. Average availability (or interval availability).....     | 8  |
| 1.4.3. Steady state availability.....                           | 8  |
| 1.5. Maintenance Optimization .....                             | 10 |
| 1.6. Scope of the thesis .....                                  | 10 |
| 1.7. Statement of the problem .....                             | 12 |
| 1.8. Aim.....   | 13 |
| 1.9. Organization of the thesis.....                            | 13 |
| CHAPTER 2: LITERATURE REVIEW .....                              | 17 |
| 2.1. Introduction.....  | 17 |
| 2.2. Background and Survey Articles.....                        | 18 |
| 2.3. Existing Maintenance policies .....                        | 20 |
| 2.3.1. Age replacement policy.....                              | 20 |
| 2.3.2. Periodic PM policy .....                                 | 20 |
| 2.3.3. Failure limit policy .....                               | 21 |
| 2.3.4. Sequential PM policy.....                                | 21 |
| 2.3.5. Repair limit policy.....                                 | 21 |
| 2.3.6. Repair number counting and reference time policy .....   | 21 |
| 2.3.7. Group maintenance policy .....                           | 22 |
| 2.3.8. Opportunistic maintenance policy .....                   | 22 |
| 2.3.9. Machine interference/ repair policy .....                | 22 |
| 2.4. Review of Latest literature on Deterioration Modeling..... | 23 |
| 2.4.1. Continuous modeling.....                                 | 23 |
| 2.4.2. Shock Modeling .....                                     | 26 |
| 2.4.3. Markov Modeling .....                                    | 28 |

|  |  |           |
|--|--|-----------|
| 2.5.   | Observations made from the Literature Review ..... | 32        |
| <b>CHAPTER 3: GENERALIZED TIME BASED PREVENTIVE MAINTENANCE POLICY .....</b> |  | <b>35</b> |
| 3.1.   | Introduction .....                                 | 35        |
| 3.1.1.   | Definitions .....                                  | 37        |
| 3.1.2.   | Notations .....                                    | 38        |
| 3.2.   | Assumptions .....                                  | 39        |
| 3.3.   | The models.....                                    | 41        |
| 3.4.   | Differential equations .....                       | 43        |
| 3.4.1.   | Model 1 .....                                      | 43        |
| 3.4.2.   | Model 2 .....                                      | 44        |
| 3.5.   | Recursive solution.....                            | 45        |
| 3.5.1.   | Model 1 .....                                      | 45        |
| 3.5.2.   | Model 2 .....                                      | 46        |
| 3.5.3.   | Model 3 .....                                      | 46        |
| 3.6.   | Optimization.....                                  | 46        |
| 3.6.1.   | Availability maximization .....                    | 47        |
| 3.6.2.   | Total cost minimization.....                       | 48        |
| 3.6.3.   | The cost model .....                               | 48        |
| 3.6.4.   | Optimization procedure .....                       | 51        |
| 3.7.   | Examples .....                                     | 52        |
| 3.7.1.   | Hypothetical example .....                         | 52        |
| 3.7.2.   | Case Study: Truck tire retreading problem .....    | 53        |
| 3.8.   | Conclusions.....                                   | 59        |
| <b>CHAPTER 4: A CBM POLICY WITH GENERAL EFFECTIVE PM ACTIONS.....</b>        |  | <b>61</b> |
| 4.1.   | Introduction.....                                  | 61        |
| 4.1.1.   | Notations .....                                    | 63        |
| 4.2.   | Assumptions .....                                  | 63        |
| 4.3.   | The model .....                                    | 64        |
| 4.4.   | State-transition equations.....                    | 65        |
| 4.5.   | Recursive solution.....                            | 71        |
| 4.6.   | Optimization.....                                  | 75        |
| 4.6.1.   | Availability Maximization .....                    | 76        |

|        |                              |    |
|--------|------------------------------|----|
| 4.6.2. | Total cost minimization..... | 76 |
| 4.6.3. | The cost model .....         | 77 |
| 4.6.4. | Optimization procedure ..... | 80 |
| 4.7.   | Examples .....               | 81 |
| 4.8.   | Conclusions.....             | 83 |

## CHAPTER 5: A CBM POLICY WITH MULTIPLE GENERAL PM ACTIONS..... 85

|        |                                       |     |
|--------|---------------------------------------|-----|
| 5.1.   | Introduction.....                     | 85  |
| 5.1.1. | Notations .....                       | 88  |
| 5.2.   | Assumptions .....                     | 89  |
| 5.3.   | The model .....                       | 90  |
| 5.4.   | State transition equations .....      | 91  |
| 5.5.   | Steady-state recursive solution ..... | 100 |
| 5.6.   | Optimization.....                     | 105 |
| 5.6.1. | Availability Maximization .....       | 106 |
| 5.6.2. | Total cost Minimization.....          | 106 |
| 5.6.3. | The cost model .....                  | 107 |
| 5.6.4. | Optimization procedure .....          | 111 |
| 5.7.   | Examples .....                        | 112 |
| 5.7.1. | Hypothetical Example .....            | 112 |
| 5.7.2. | Case Study .....                      |     |

## OPTIMUM SCHEDULES FOR ONLINE AND OFFLINE WASHINGS OF THE GAS TURBINE COMPRESSOR ..... 117

|      |                  |     |
|------|------------------|-----|
| 5.8. | Conclusions..... | 126 |
|------|------------------|-----|

## CHAPTER 6: A CONDITION BASED INSPECTION AND MAINTENANCE POLICY ..... 129

|        |                             |     |
|--------|-----------------------------|-----|
| 6.1.   | Introduction.....           | 129 |
| 6.1.1. | Notations .....             | 132 |
| 6.2.   | Assumptions .....           | 133 |
| 6.3.   | The model .....             | 134 |
| 6.4.   | The Methodology.....        | 137 |
| 6.4.1. | Differential equations..... | 137 |
| 6.4.2. | Recursive Solution .....    | 140 |
| 6.5.   | Optimization.....           | 142 |

|   |  |            |
|---|--|------------|
| 6.5.1.  | Availability Maximization .....  | 143        |
| 6.5.2.  | Total cot Minimization .....   | 143        |
| 6.5.3.  | Optimization procedure .....   | 145        |
| 6.6.  | Example.....   | 147        |
| 6.7.  | Conclusions.....   | 149        |
| <b>CHAPTER 7: REPAIR CREW OPTIMIZATION USING JOINT REPAIR<br/>IN MACHINE INTERFERENCE PROBLEM .....</b> |  | <b>151</b> |
| 7.1.  | Introduction.....  | 151        |
| 7.1.1.  | Notations .....  | 154        |
| 7.1.2.  | Definitions.....   | 155        |
| 7.2.  | Assumptions .....  | 157        |
| 7.3.  | Methodology for finding optimum $c$ in MIP with no JR.....                         | 157        |
| 7.3.1.  | Net Benefit (NB) Calculation .....   | 160        |
| 7.3.2.  | Procedure for finding optimum ' $c$ ' .....  | 161        |
| 7.4.  | Example.....   | 161        |
| 7.5.  | Methodology for finding optimum $c$ in MIP with JR .....                           | 163        |
| 7.5.1.  | Assumptions for joint repair.....  | 165        |
| 7.5.2.  | Transition rates of an ' $N$ ' machine system with joint repair .....              | 167        |
| 7.5.3.  | Example .....  | 167        |
| 7.6.  | K-out-of-N:G system .....  | 170        |
| 7.6.1.  | Transition rate for K-out-of-N:G system without joint-repair.....                  | 172        |
| 7.6.2.  | Transition rate for K-out-of-N:G system with joint-repair .....                    | 172        |
| 7.6.3.  | Example .....  | 173        |
| 7.7.  | Load sharing K-out-of-N:G system.....  | 175        |
| 7.7.1.  | Transition rate for load sharing K-out-of-N:G system without joint-<br>repair..... | 176        |
| 7.7.2.  | Transition rate for load sharing K-out-of-N:G system with joint-<br>repair.....    | 177        |
| 7.7.3.  | Example .....  | 177        |
| 7.8.  | Conclusions.....   | 179        |
| <b>CHAPTER 8: CONCLUSIONS AND FUTURE WORK .....</b>   |  | <b>181</b> |
| 8.1.  | Conclusions.....   | 181        |
| 8.2.  | Scope for Future Research.....   | 182        |
| <b>REFERENCES .....</b>   |  | <b>185</b> |



|                  |  |     |
|------------------|--|-----|
| B.9.             | Case9: $((k-\tau_2) < k_1) \& ((k_2-\tau_2) < 2) \& ((k_2-\tau_1-1) < k_2) \& ((k_1-\tau_1) < 2)$ .....    | 229 |
| B.10.            | Case10: $((k-\tau_2) < k_1) \& ((k_2-\tau_2) < 2) \& ((k_2-\tau_1-1) < k_2) \& ((k_1-\tau_1) < k_1)$ ....  | 229 |
| B.11.            | Case11: $((k-\tau_2) < k_1) \& ((k_2-\tau_2) < k_1) \& ((k_2-\tau_1-1) < k_1) \& ((k_1-\tau_1) < 2)$ ....  | 230 |
| B.12.            | Case12: $((k-\tau_2) < k_1) \& ((k_2-\tau_2) < k_1) \& ((k_2-\tau_1-1) < k_1) \& ((k_1-\tau_1) < k_1)$ ... | 231 |
| B.13.            | Case13: $((k-\tau_2) < k_1) \& ((k_2-\tau_2) < k_1) \& ((k_2-\tau_1-1) < k_2) \& ((k_1-\tau_1) < 2)$ ....  | 232 |
| B.14.            | Case14: $((k-\tau_2) < k_1) \& ((k_2-\tau_2) < k_1) \& ((k_2-\tau_1-1) < k_2) \& ((k_1-\tau_1) < k_1)$ ... | 233 |
| B.15.            | Case15: $((k-\tau_2) < k_2) \& ((k_2-\tau_2) < 2) \& ((k_2-\tau_1-1) < 2) \& ((k_1-\tau_1) < 2)$ .....     | 234 |
| B.16.            | Case16: $((k-\tau_2) < k_2) \& ((k_2-\tau_2) < 2) \& ((k_2-\tau_1-1) < k_1) \& ((k_1-\tau_1) < 2)$ ....    | 235 |
| B.17.            | Case 17: $((k-\tau_2) < k_2) \& ((k_2-\tau_2) < 2) \& ((k_2-\tau_1-1) < k_1) \& ((k_1-\tau_1) < k_1)$ ...  | 235 |
| B.18.            | Case18: $((k-\tau_2) < k_2) \& ((k_2-\tau_2) < 2) \& ((k_2-\tau_1-1) < k_2) \& ((k_1-\tau_1) < 2)$ ....    | 235 |
| B.19.            | Case19: $((k-\tau_2) < k_2) \& ((k_2-\tau_2) < 2) \& ((k_2-\tau_1-1) < k_2) \& ((k_1-\tau_1) < k_1)$ ....  | 236 |
| B.20.            | Case20: $((k-\tau_2) < k_2) \& ((k_2-\tau_2) < k_1) \& ((k_2-\tau_1-1) < k_1) \& ((k_1-\tau_1) < 2)$ ....  | 237 |
| B.21.            | Case21: $((k-\tau_2) < k_2) \& ((k_2-\tau_2) < k_1) \& ((k_2-\tau_1-1) < k_1) \& ((k_1-\tau_1) < k_1)$ ... | 238 |
| B.22.            | Case 22: $((k-\tau_2) < k_2) \& ((k_2-\tau_2) < k_1) \& ((k_2-\tau_1-1) < k_2) \& ((k_1-\tau_1) < 2)$ ...  | 239 |
| B.23.            | Case23: $((k-\tau_2) < k_2) \& ((k_2-\tau_2) < k_1) \& ((k_2-\tau_1-1) < k_2) \& ((k_1-\tau_1) < k_1)$ ... | 240 |
| B.24.            | Case24: $((k-\tau_2) < k_2) \& ((k_2-\tau_2) < k_2) \& ((k_2-\tau_1-1) < k_2) \& ((k_1-\tau_1) < 2)$ ....  | 242 |
| B.25.            | Case25: $((k-\tau_2) < k_2) \& ((k_2-\tau_2) < k_2) \& ((k_2-\tau_1-1) < k_2) \& ((k_1-\tau_1) < k_1)$ ... | 243 |
| B.26.            | Case26: $((k-\tau_2) < k) \& ((k_2-\tau_2) < 2) \& ((k_2-\tau_1-1) < 2) \& ((k_1-\tau_1) < 2)$ .....       | 244 |
| B.27.            | Case27: $((k-\tau_2) < k) \& ((k_2-\tau_2) < 2) \& ((k_2-\tau_1-1) < k_1) \& ((k_1-\tau_1) < 2)$ .....     | 244 |
| B.28.            | Case28: $((k-\tau_2) < k) \& ((k_2-\tau_2) < 2) \& ((k_2-\tau_1-1) < k_1) \& ((k_1-\tau_1) < k_1)$ ....    | 244 |
| B.29.            | Case29: $((k-\tau_2) < k) \& ((k_2-\tau_2) < 2) \& ((k_2-\tau_1-1) < k_2) \& ((k_1-\tau_1) < 2)$ .....     | 245 |
| B.30.            | Case30: $((k-\tau_2) < k) \& ((k_2-\tau_2) < 2) \& ((k_2-\tau_1-1) < k_2) \& ((k_1-\tau_1) < k_1)$ ....    | 245 |
| B.31.            | Case31: $((k-\tau_2) < k) \& ((k_2-\tau_2) < k_1) \& ((k_2-\tau_1-1) < k_1) \& ((k_1-\tau_1) < 2)$ ....    | 246 |
| B.32.            | Case32: $((k-\tau_2) < k) \& ((k_2-\tau_2) < k_1) \& ((k_2-\tau_1-1) < k_1) \& ((k_1-\tau_1) < k_1)$ ....  | 246 |
| B.33.            | Case33: $((k-\tau_2) < k) \& ((k_2-\tau_2) < k_1) \& ((k_2-\tau_1-1) < k_2) \& ((k_1-\tau_1) < 2)$ ....    | 247 |
| B.34.            | Case34: $((k-\tau_2) < k) \& ((k_2-\tau_2) < k_1) \& ((k_2-\tau_1-1) < k_2) \& ((k_1-\tau_1) < k_1)$ ....  | 248 |
| B.35.            | Case35: $((k-\tau_2) < k) \& ((k_2-\tau_2) < k_2) \& ((k_2-\tau_1-1) < k_2) \& ((k_1-\tau_1) < 2)$ ....    | 249 |
| B.36.            | Case36: $((k-\tau_2) < k) \& ((k_2-\tau_2) < k_2) \& ((k_2-\tau_1-1) < k_2) \& ((k_1-\tau_1) < k_1)$ ....  | 249 |
| APPENDIX C ..... |  | 251 |
| APPENDIX D ..... |  | 253 |
| D.1.             | Steady state balancing equations.....  | 253 |
| D.1.1.           | Case 1: Deterioration stage ' $i$ ' $< k_R$ .....  | 253 |
| D.1.2.           | Case 2: Deterioration stage ' $i$ ' $\geq k_R$ .....   | 254 |
| D.2.             | Recursive solution.....  | 255 |
| D.2.1.           | Case 1: Deterioration stage ' $i$ ' $< k_R$ .....  | 255 |
| D.2.2.           | Case 2: Deterioration stage ' $i$ ' $\geq k_R$ .....   | 256 |