

CONTENTS

Title page	i
Dedication	ii
Declaration	iii
Certificate by the Supervisor	iv
Acknowledgement	v
List of Tables	vi
List of Figures	viii
List of Symbols	xiii
Abstract	xv
Contents	xvi

Chapter 1 Introduction and Literature Survey 1–25

1.1 Introduction	1
1.2 Polymer blends	2
1.3 Polyolefin rubber/plastic blends	3
1.4 Concept of dynamic vulcanization	4
1.4.1 Morphology	5
1.4.2 Rheology	6
1.4.3 Deformation behavior	7
1.4.4 Production and processing	8
1.5 Factors affecting the properties	8
1.5.1 Compatibility	8
1.5.2 Type of curative	9
1.5.3 Degree of cure	11
1.5.4 Effect of additives	11
1.6 Thermoplastic vulcanizates based on polyolefin blends: An overview	13
1.7 Peroxide as crosslinking agent	14
1.8 Coagent for peroxide crosslinking	18
1.9 Applications of TPVs	20
1.10 Scope and background of the work	20
1.11 Objectives	23
1.12 Structure of the thesis	24

Chapter 2 Experimental 26–36

2.1 Introduction	26
2.2 Materials	26
2.2.1 Polymers used	26
2.2.2 Peroxides used	28
2.2.3 Coagents used	29
2.3 Preparation of TPVs	30
2.4 Testing procedures	30
2.4.1 Cure characteristics	30
2.4.2 Mechanical testing	30

2.4.3	Hystersis measurements	31
2.4.4	Reprocessability of the blends	31
2.4.5	Crosslink density	31
2.4.6	Gel content	32
2.4.7	Morphology	33
2.4.8	Differential scanning calorimeter	34
2.4.9	Thermogravimetric analysis	34
2.4.10	Dynamic mechanical thermal analysis	34
2.4.11	Rheological measurements	35
2.4.12	Capillary rheometer	35
Chapter 3	Dynamically Vulcanized Blends Based on PP/EOC: Influence of Different Peroxides on Mechanical, Morphological, Thermal and Rheological Characteristics	36–59
3.1	Introduction	36
3.2	Results and discussion	37
3.2.1	Cure characteristics and crosslink density	38
3.2.2	Mixing Torque	40
3.2.3	Mechanical properties	41
3.2.4	Morphology	46
3.2.5	Thermal properties	51
3.2.6	Rheological properties	53
3.2.7	Tensile fractography	56
3.3	Conclusions	58
Chapter 4A	Dynamically Vulcanized Blends Based on PP/EOC: Influence of Different Coagents on Mechanical, Morphological, Thermal and Rheological Characteristics	60–88
4A.1	Introduction	60
4A.2	Results and discussion	61
4A.2.1	Reaction mechanism	61
4A.2.2	Cure characteristics and crosslink density	64
4A.2.3	Mixing torque	65
4A.2.4	Mechanical properties	67
4A.2.5	Morphology	72
4A.2.6	Thermal properties	74
4A.2.7	Rheological properties	76
4A.2.7.1	Strain dependency of viscoelastic behavior	76
4A.2.7.2	Frequency dependency of viscoelastic behavior	78
4A.2.8	Stress relaxation measurements	79
4A.2.9	Capillary rheometer	81
4A.2.10	Tensile fractography	84
4A.3	Conclusions	88

Chapter 4B	Dynamically Vulcanized Blends Based on PP/EOC: Influence of 1,2-Polybutadiene as a Coagent on Mechanical, Morphological Thermal and Rheological Characteristics	89–103
4B.1	Introduction	89
4B.2	Results and discussion	90
4B.2.1	Processing characteristics	90
4B.2.2	Mechanical properties	92
4B.2.3	Morphology	94
4B.2.4	Tensile fractography	95
4B.2.5	Thermal properties	96
4B.2.6	Strain amplitude response of TPVs in melt state	98
4B.2.7	Shear rate response of TPVs in melt state	99
4B.2.8	Capillary rheometer	101
4B.2.9	Correlation between oscillatory and steady shear flow	102
4B.3	Conclusions	103
Chapter 5A	Dynamically Vulcanized Blends Based on PP/EOC: Influence of Different Mixing Sequences on Mechanical, Morphological and Thermal Characteristics	104–129
5A.1	Introduction	104
5A.2	Results and discussion	105
5A.2.1	Mixing torque	106
5A.2.2	Morphology	108
5A.2.3	Mechanical properties	111
5A.2.4	Tensile fractography	116
5A.2.5	Differential scanning calorimetry	119
5A.2.6	Thermogravimetric analysis	121
5A.2.7	Dynamic viscoelastic behavior in solid state	123
5A.3	Conclusions	128
Chapter 5B	Reinforcement Mechanism of PP/EOC TPVs	130–152
5B.1	Introduction	130
5B.2	Results and discussion	130
5B.2.1	Gel content and overall crosslink density	130
5B.2.2	Morphology	132
5B.2.3	Rheological properties	134
5B.2.3.1	Strain dependence of viscoelastic behavior	134
5B.2.3.2	Frequency dependence of viscoelastic behavior	138
5B.2.4	Modulus recovery	141
5B.2.5	Reinforcement mechanism	144
5B.3	Conclusions	152

Chapter 6 Structure-Property Relationship of Thermoplastic Vulcanizates Based on PP/EOC and PP/EPDM Blends: A Comparative Study	153-185
6.1 Introduction	153
6.2 Results and discussion	154
6.2.1 Processing characteristics	154
6.2.2 Dynamic viscoelastic properties of neat polymers	157
6.2.3 Morphology	160
6.2.4 Rheological properties	165
6.2.4.1 Dynamic viscoelastic properties of uncrosslinked blends	165
6.2.4.2 Dynamic viscoelastic properties of dynamically crosslinked blends	169
6.2.5 Thermal properties	173
6.2.6 Mechanical properties	175
6.2.7 Hysteresis	179
6.2.8 Tensile fractography	181
6.2.9 Reprocessability of the blends	183
6.3 Conclusions	184
Chapter 7 Summary and Conclusions	186-190
References	191-202
Curriculum vitae	
Published papers	