

CONTENTS

	Pages
Title Page	i
Certificate of Approval	iii
Certificate by Supervisor	v
Declaration	vii
Preface	ix
Acknowledgement	xi
List of Abbreviations	xiii
List of Tables	xix
List of Figures	xxi
List of Appendix	xxv
Glossary	xxvii
Abstract	xxix
Chapter 1 Introduction, Review of the Literature and Objectives of the Present Investigation	1
1.1 Introduction	1
1.2 Review of literature	2
1.2.1 Taxonomy	2
1.2.2 Diseases and pests	3
1.2.3 Sandalwood essential oil	3
1.2.4 Santalenes as major constituents	3
1.2.5 Chemo- synthesis of santalenes	4
1.2.6 Synthetic analogues of santalanes	4
1.2.7 Sandalwood odor chemistry	5
1.2.8 Organoleptics and physicochemical properties	5
1.2.9 Santalol biosynthetic pathway	5
1.2.10 <i>In vitro</i> micropropagation and plant development	7
1.2.11 Secondary metabolism in plants	7
1.2.12 Plant cell cultures as sources of natural products	7
1.2.13 Approaches to characterize secondary metabolome	8
1.2.14 Phenylpropanoid biosynthetic pathway	10
1.2.14.1 Phenylalanine ammonia lyase (PAL)	10
1.2.14.2 Cinnamyl alcohol dehydrogenase (CAD)	10
1.2.14.3 Peroxidase (POX)	11
1.2.14.4 Polyphenol oxidase (PPO)	11
1.2.14.5 Phenolics	11
1.2.14.6 Lignin biosynthesis and lignification	13
1.2.14.7 Flavonoids and anthocyanins	13
1.2.14.8 Phenylpropanoids in heartwood	14
1.2.15 Terpenoids	15
1.2.15.1 Importance of terpenoids	15
1.2.15.2 Terpenoid biosynthetic pathway	15
1.2.15.3 Terpenoid production <i>in vitro</i>	16
1.2.15.4 Chlorophylls and carotenoids	17
1.2.15.5 1- deoxy- D- xylulose phosphate synthase (DXS)	18
1.2.15.6 3- Hydroxy- 3- methylglutaryl- coenzyme A reductase (HMGCoAR)	19
1.2.15.7 Farnesyl diphosphate synthase (FPPS)	19
1.2.15.8 Terpene synthase (TPS)	19
1.2.15.9 Monoterpene synthase (MTPS)	20

1.2.15.10 Sesquiterpene synthases (STPS)	21
1.2.16 Biological activities of natural products	22
1.2.16.1 Essential oils as bioactives	22
1.2.16.2 Phytoconstituents as antimicrobials	22
1.2.16.3 Phytoconstituents as antioxidants	22
1.2.16.3.1 Phenylpropanoids as antioxidants	23
1.2.16.4 Phytoconstituents as tyrosinase inhibitors	24
1.2.16.5 Phytoconstituents as antidiabetic principles	25
1.2.16.5.1 Diabetes mellitus	25
1.2.16.5.2 Hypoglycemic potential of plants	26
1.2.16.6 Cholinesterase inhibitors as neuroprotective agents	26
1.2.16.7 Phytoconstituents as cytotoxic agents	27
1.2.16.8 Anticancer drugs from plants	27
1.2.16.9 Phytoconstituents as MMP inhibitors	27
1.2.17 Research and development work in sandalwood	28
1.3 Objectives of the investigation	29
 Chapter 2 Profiling of Phenylpropanoids	
2.1 Introduction	31
2.2 Materials and methods	31
2.2.1 Preparation of crude enzyme extracts	32
2.2.2 Enzyme assays	32
2.2.2.1 Phenylalanine ammonia- lyase (PAL, EC 4.3.1.5) assay	32
2.2.2.2 Cinnamyl alcohol dehydrogenase (CAD, EC 1.1.1.195) assay	32
2.2.2.3 Peroxidase (POX, EC 1.11.1.7) assays	33
2.2.3 Polyphenol oxidase (PPO) (EC 1.14.18.1) enzyme preparation and assay	33
2.2.4 Profiling of phenylpropanoids	34
2.2.4.1 Isolation of free and wall- bound phenolics	34
2.2.4.2 Folin- Ciocalteau assay for phenolics	34
2.2.4.3 High Pressure Liquid Chromatography (HPLC) analysis of phenolics	34
2.2.4.4 Liquid Chromatography Mass Spectroscopy (LC- MS) analyses of phenylpropanoids	35
2.2.4.5 Anthocyanin quantification	36
2.2.4.6 Flavonoid quantification	36
2.2.4.7 Concentrations of total UV- absorbing compounds	36
2.2.4.8 Quantification of lignin	36
2.2.4.9 Quantification of shikimic acid	37
2.2.5 Microscopy and histochemistry	37
2.2.5.1 Fluorescent microscopy studies	37
2.2.5.2 Wesner reaction for lignification	37
2.2.5.3 Maule reaction for lignification	38
2.2.5.4 Double staining for visualization of soft and hard tissues	38
2.2.5.5 Polychromatic staining by Toluidine Blue O	38
2.2.6 Data analysis	38
2.3 Results	38
2.3.1 Phenylpropanoid enzymes	38
2.3.2 Phenylpropanoid metabolites	39
2.3.3 RP- HPLC and LC- MS/ MS based profiling of phenylpropanoids	41
2.3.4 Histochemical evidences for differentiation and maturation events	45
2.4 Discussion	47
 Chapter 3 Profiling of Terpenoids	
3.1 Introduction	55

3.2 Materials and methods	56
3.2.1 Extraction of enzymes involved in terpenoid biosynthesis	56
3.2.2 3- Hydroxy- 3- methylglutaryl coenzyme A reductase, (HMGCoAR, EC 1.1.1.34) assay	56
3.2.3 1- deoxy- D- xylulose 5- phosphate synthase (DXS, EC 2.2.1.7) assay	56
3.2.4 Sesquiterpene synthase (STPS, EC 4.2.3.41 ?) assay	56
3.2.4.1 Extraction of sesquiterpene synthase enriched crude fractions	56
3.2.4.2 Sesquiterpene synthase (STPS) assay	57
3.2.5 Profiling of sesquiterpenoids	57
3.2.5.1 Extraction of sesquiterpenoids from tissues	57
3.2.5.2 Thin layer chromatography (TLC) and high performance thin layer chromatography (HPTLC) analysis of tissue extracts and sandalwood oil	58
3.2.5.3 Gas chromatography (GC) analyses of sandalwood oil and tissues	58
3.2.5.4 Quantification of total terpenoids in tissues	59
3.2.6 Quantification of sesquiterpenoid biosynthesis intermediates	59
3.2.6.1 Extraction of farnesylated compounds	59
3.2.6.2 Preparation of standard farnesylated compounds	59
3.2.6.2.1 Extraction of acid phosphatase (APase) rich fractions from potato	59
3.2.6.2.2 Acid phosphatase assay	60
3.2.6.2.3 Enzymatic hydrolysis of prenylpyrophosphates	60
3.2.6.3 HPTLC- based analyses for detection and quantification	60
3.2.7 Quantification of chlorophylls, carotenoids and xanthophylls	60
3.2.8 Purification and characterization of β- santalol from somatic embryos	60
3.2.8.1 Extraction and purification of β- santalol	60
3.2.8.2 Nuclear Magnetic Resonance (NMR) analysis	60
3.2.8.3 Matrix Assisted Laser Desorption Ionization- Time of Flight Mass Spectrometry (MALDI- ToF- MS) analysis	61
3.2.8.4 Electron Spray Ionization Mass Spectroscopy (ESI- MS) analysis	61
3.2.8.5 Fourier Transform Infrared Spectroscopy (FTIR) analysis	61
3.2.8.6 Gas Chromatography Mass Spectroscopy (GS- MS/ MS) analysis	61
3.2.8.7 Liquid Chromatography- Atmospheric Pressure Chemical Ionization- Mass Spectroscopy (LC- APCI- MS/ MS) analysis	62
3.2.9 Purification of α- santalol from sandalwood oil	62
3.2.9.1 Rotatory locular counter current chromatography (RLCCC)	62
3.2.9.2 Column chromatography	62
3.2.10 Immunodetection of α- santalol	63
3.2.10.1 Polyclonal antibodies against α- santalol	63
3.2.10.2 Antigen (α- santalol- BSA conjugate) preparation	63
3.2.10.2.1 Method 1	63
3.2.10.2.2 Method 2	63
3.2.10.3 Confirmation of conjugation of BSA- α- santalol	63
3.2.10.3.1 UV- visible spectrophotometry	63
3.2.10.3.2 Spectroflourimetry	64
3.2.10.3.3 SDS PAGE analysis	64
3.2.10.3.4 MALDI- ToF- MS analysis	64
3.2.10.4 Raising antibodies in mice and rabbit	64
3.2.10.4.1 Immunization of rabbits	64
3.2.10.4.2 Immunization of mice	65
3.2.10.4.3 Antisera titer determination by indirect ELISA	65
3.2.10.5 Standard curve generation for α- santalol using antibody	66
3.2.10.6 Immunodetection of α- santalol on solid surface	66
3.2.10.7 Immuno TLC- Dot Blot assay (DAB- based detection system)	66
3.2.10.8 Immuno Dot Blot assay (FITC- based detection system)	67

3.2.10.9 Dip- stick ELISA assay (nitrocellulose membrane)	67
3.2.10.10 Dip- stick ELISA (wooden toothpicks)	67
3.2.10.11 Polyclonal antibody (IgG) purification by affinity chromatography	68
3.2.10.12 Immunohistolocalization of α - santalol	68
3.2.10.12.1 Localization of α - santalol by confocal laser scanning microscopy (CLSM)	68
3.2.10.12.2 Histochemical localization of santalols	69
3.2.11 Purification of sesquiterpene synthase from leaf	69
3.2.11.1 Extraction of crude proteins	69
3.2.11.2 Anion exchange chromatography	69
3.2.11.3 Gel filtration chromatography	69
3.3 Results	70
3.3 Terpenoid biosynthesis enzymes	70
3.3.1 DXS and HMGCoAR enzyme activities	70
3.3.1.2 Sesquiterpene synthase assay and GC- based identification of products	70
3.3.2 Profiling of sesquiterpenoids	71
3.3.2.1 Sesquiterpenoid composition of the sandalwood oil	71
3.3.2.2 Sesquiterpenoid composition of sandalwood (HPTLC- based)	73
3.3.2.3 Sesquiterpenoid composition of the sandalwood tissues (GC- based)	74
3.3.2.4 GC- MS/ MS- based profiling of sandalwood volatile constituents	75
3.3.2.5 Farnesylated compounds in sandalwood (HPTLC- based)	76
3.3.2.6 Terpenoid content	78
3.3.2.7 Photosynthetic pigments in sandalwood	78
3.3.3 Purification of β - santalol from somatic embryo	79
3.3.3.1 Confirmation of (<i>Z</i>)- β - santalol by ^{13}C - NMR, MALDI- ToF- MS, FTIR, GC- MS/ MS and LC- APCI- MS/ MS analyses	80
3.3.4 Isolation of (<i>Z</i>)- α - santalol	83
3.3.4.1 Preparative- scale purification of (<i>Z</i>)- α - santalol by column chromatography, RLCCC and HPTLC	83
3.3.5 Immunodetection of <i>Z</i> - α - santalol	84
3.3.5.1 Immunogen design	84
3.3.5.2 Confirmation of conjugation of α - santalol to BSA	84
3.3.5.2.1 UV- vis spectrophotometry	84
3.3.5.2.2 Spectroflourimetry	84
3.3.5.2.3 SDS- PAGE analysis	85
3.3.5.2.4 MALDI- ToF- MS analysis	85
3.3.5.3 Production of polyclonal antibodies	86
3.3.5.4 Optimization of antibody and α - santalol- BSA conjugate concentrations	86
3.3.6 Immunolocalization of (<i>Z</i>)- α - santalol in sandalwood developmental stages by confocal laser scanning microscopy (CLSM)	88
3.3.7 Partial purification of sesquiterpene synthase (SaSTPS) protein from sandalwood leaves	90
3.4 Discussion	92
Chapter 4 Screening of Biological Activities of Extracts Rich in Phenylpropanoids and Terpenoids	101
4.1 Introduction	101
4.2 Materials and Methods	103
4.2.1 Microorganisms	103
4.2.1.1 Bacterial strains	103
4.2.1.2 Fungal strains	103
4.2.2 Physical characterization of the tissues and extracts	103
4.2.2.1 Dry weight, moisture and ash content	103
4.2.2.2 Preparation of extracts	103

4.2.2.3 pH of the extracts	104
4.2.2.4 Determination of plant extract yield	104
4.2.3 Phytochemical profiling of extracts	104
4.2.3.1 High performance thin layer chromatography (HPTLC) analysis	104
4.2.4 Biological activity screening of the extract	104
4.2.4.1 Minimum inhibitory concentration (MIC) determination	104
4.2.4.2 Disc- diffusion method for antibacterial activity	105
4.2.4.3 Agar spot method for antibacterial activity	105
4.2.4.4 TLC bioautography for antibacterial screening	105
4.2.4.5 Quantitative evaluation of antimicrobial activity	105
4.2.4.6 Antifungal activity by disc diffusion method	105
4.2.4.7 Lipid peroxidation inhibition in mice liver and brain microsomes (TBA method)	106
4.2.4.8 Reducing power determination	106
4.2.4.9 Hydroxyl radical scavenging activity (deoxyribose method)	106
4.2.4.10 Metal (ferrous) ion chelating activity	106
4.2.4.11 Ferric reducing antioxidant power (FRAP) assay	106
4.2.4.12 Total antioxidant capacity (TAC)	106
4.2.4.13 β- carotene linoleate bleaching activity	106
4.2.4.14 Nitric oxide free radical scavenging activity	106
4.2.4.15 ABTS' free radical scavenging activity	106
4.2.4.16 DPPH free radical scavenging activity	107
4.2.4.17 DPPH dot blot (qualitative) assay	107
4.2.4.18 Tyrosinase inhibition (spectrophotometric)	107
4.2.4.19 Tyrosinase inhibition (bioautography)	107
4.2.4.20 Alpha- amylase (EC 3.2.1.1) inhibition assay (spectrophotometric)	107
4.2.4.21 Alpha- amylase inhibition assay (disc- diffusion)	108
4.2.4.22 Glucose diffusion inhibition assay	108
4.2.4.23 Cholinesterase (ChE) inhibition assay (TLC bioautographic)	108
4.2.4.24 Cholinesterase (ChE) inhibition assay (spectrophotometric)	108
4.2.4.25 MMP inhibition assay	108
4.2.4.26 Cytotoxicity screening in fibroblast cell lines	109
4.2.4.27 Cytostatic potential in carcinoma and melanoma cell lines	109
4.2.4.28 <i>In vivo</i> anti- hyperglycemic assay in alloxan- induced diabetic mice model	109
4.2.5.28.1 Experimental animals	109
4.2.5.28.2 Administration of compounds to normal mice	109
4.2.5.28.3 Preparation of diabetic mice	110
4.2.5.28.4 Estimation of blood glucose level	110
4.2.5.28.5 Estimation of liver glycogen content	110
4.2.5.28.6 Estimation of serum bilirubin level determination	110
4.2.5.29 <i>In vivo</i> antioxidant assay	110
4.2.5.29.1 Preparation of oxidative stress induced mice	111
4.2.5.29.2 SGPT/ ALT (Alanine Aminotransferase- Serum Glutamate Pyruvate Transminase- E.C.2.6.1.2) assay	111
4.2.5.29.3 SGOT/ AST (Aspartate Aminotransferase- Serum Glutamate Oxaloacetate Transminase- E.C.2.6.1.1) assay	111
4.2.5.29.4 Serum alkaline phosphatase (ALP) assay	111
4.2.5.29.5 Serum bilirubin level determination	111
4.2.5.29.6 Superoxide dismutase activity	111
4.2.5.29.7 Catalase activity	111
4.2.5.29.8 Free sulphydryl groups in serum as reduced glutathione (GSH)	112
4.2.5.29.9 Quantification of protein carbonyl content	112
4.2.5.29.10 NO assay (for nitrite determination)	112

4.2.5.29.11 Serum antioxidant activity (DPPH) based	112
4.2.5.30 Splenocyte (spleen lymphocyte) and macrophages (activated monocytes) isolation	112
4.2.5.31 Splenocyte proliferation assay	112
4.2.5.32 Nitrite determination (NO assay) in macrophages	113
4.2.5.33 Cluster analysis (CA)	113
4.2.5.34 Statistical analysis	113
4.3 Results	113
4.3.1 Physico- chemical characterization of tissues and extracts	113
4.3.2 Phytochemical analysis of extracts	114
4.3.2.1 Terpenoid metabolites	114
4.3.2.2 Phenylpropanoid metabolites	114
4.3.3 Biological activities of sandalwood extracts and sandalwood oil	116
4.3.3.1 Antimicrobial (antibacterial and antifungal) activities	116
4.3.3.2 Antioxidant, antityrosinase, antidiabetic and neuroprotective potentials	117
4.3.3.3 Cytotoxicity in fibroblasts and cancer cell lines, NO production in macrophages and MMP inhibition <i>in vitro</i>	119
4.3.3.4 <i>In vivo</i> antioxidant potential of sandalwood oil and α- santalol	119
4.3.3.5 <i>In vivo</i> hypoglycemic potential of sandalwood oil and α- santalol	120
4.4 Discussion	126
 Chapter 5 PCR- based Cloning and Evaluation of Phenylpropanoid and Terpenoid Biosynthetic Pathway Genes	
5.1 Introduction	135
5.2 Materials and methods	135
5.2.1 Bacterial growth media	137
5.2.2 Antibiotics	137
5.2.3 Bacterial strains	137
5.2.4 Molecular cloning techniques	137
5.2.4.1 Quantification of nucleic acids	137
5.2.4.2 Synthesis of oligonucleotides (primers)	137
5.2.4.3 Nucleic acid isolation	138
5.2.4.4 Polymerase chain reaction (PCR) amplification	139
5.2.4.5 Reverse transcriptase- polymerase chain reaction (RT- PCR) and complimentary DNA (cDNA) preparation	139
5.2.4.6 Gradient PCR	140
5.2.4.7 Cloning of PCR, RT- PCR and gradient PCR products	140
5.2.4.8 Plasmid isolation and restriction digestion for confirmation of clones	140
5.2.5 Comparative and bioinformatic analyses	141
5.2.5.1 Primer designing	141
5.2.5.2 Protein domain architecture studies	142
5.2.5.3 Multiple sequence alignment of sequences	142
5.2.5.4 Construction of phylogenetic tree for deduction of evolutionary relationships	142
5.2.5.5 Homology- based modeling of the sequences and model- validation studies	142
5.2.6 Tissue- level expression profiling by semi- quantitative RT- PCR (sq RT- PCR)	144
5.3 Results	144
5.3.1 Partial clones of actin (SaACT)	146
5.3.2 Partial clone of cinnamyl alcohol dehydrogenase (SaCAD)	146
5.3.3 Partial clones of 1- deoxy- D- xylose 5- phosphate synthase (SaDXS)	147
5.3.4 Partial clones of farnesyl pyrophosphate synthase (FPPS)	148
5.3.5 Partial clones of monoterpene synthase (MTPS)	148

5.3.6 Partial clones of sesquiterpene synthase (STPS)	148
5.3.7 Phylogenetic analysis of the clones	149
5.3.8 Bioinformatic analysis, homology- based modeling and structure- function relationships of the proteins	150
5.3.9 Tissue level expression profiling of the 6 genes	156
5.4 Discussion	156
Chapter 6 Conclusions and Future Scope	163
6.1 Conclusions	163
6.2 Future Scope	165
References	167
Appendix	In CD
Curriculum vitae	